

CODESYS TargetVisu for Linux SL

CODESYS TargetVisu for Linux SL allows the functional extension of Linux-based devices in order to display graphical user interfaces directly on the control panel of the controller.

Technical Description

CODESYS TargetVisu for Linux SL
Debian Package
Applicationbased Licensing (licensing is done on controller/PLC side)
x86_64, ARM, ARM64
QT >= 6.4

General information

Supplier:

CODESYS GmbH Memminger Strasse 151 87439 Kempten Germany

Support:

Technical support is not included with this product. To receive technical support, please purchase a CODESYS Support Ticket.

https://support.codesys.com

Item:

CODESYS TargetVisu for Linux SL

Item number:

Requires application-based licenses

Sales/Source of supply:

CODESYS Store https://store.codesys.com

Included in delivery:

CODESYS package, which contains the runtime system as a Debian package.

System requirements and restrictions

Engineering	CODESYS Development System V3.5.20.10 or higher
Runtime	CODESYS TargetVisu for Linux SL V4.12.0.0 or higher
Supported platforms	Debian Linux (debian package mechanism), CPU: x86_64, ARM, ARM64
Additional requirements	QT6 with graphical user interface installed SSH server Linuxuser with GUI session installed glibc >= 2.36 (Debian 12)
Restrictions	None
Licensing	



Single device license: The license can be used on the target device/PLC on which the CODESYS runtime system is installed.

Licenses are activated on a software-based license container (soft container), which is permanently connected to the controller. Alternatively, the license can be stored on a CODESYS Key (USB dongle). By replugging the CODESYS Key, the license can be used on any other controller.

Hinweis: Licensing is done via application based licenses on the controller/PLC side.

Note: Technical specifications are subject to change. Errors and omissions excepted. The content of the current online version of this document applies.

Creation date: 2024-07-04